

Glass Gleam-Solar™ Ready To Use

Titan Laboratories, Inc.

SDS #571 / January 3, 2022

Page 1

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Titan Laboratories 2935 Irving Blvd., #209 Dallas. TX 75247

Contact: Titan Laboratories

Phone: 800-475-3300 // 214-638-1200

Email: info@titanlabs.net Web: _www.titanlabs.net

Product Name: Glass Gleam-Solar RTU

Revision Date: January 3, 2022

Version: 1.0 SDS Number: 571

Common Name: Ready-to-Use Cleaner


CAS Number: MIXTURE **Chemical Family:** Cleaner

Chemical Formula: *** PROPRIETARY ***

Product Use: Glass cleaning


Emergency Phone: +1-800-255-3924

2. HAZARDS IDENTIFICATION



Health = 0, Fire = 0, Reactivity = 0 H0/F0/PH0





GHS Precautionary Statements:

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Glass Gleam-Solar™ Ready To Use

Titan Laboratories, Inc.

SDS #571 / January 3, 2022

Page 2

P302+350 - IF ON SKIN: Gently wash with soap and water.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P332+313 - If skin irritation occurs: Get medical advice/attention.

P337+313 - If eye irritation persists: Get medical advice/attention.

P405 - Store locked up.

P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

CAS#	Percentage	Chemical Name
N/A	100%	Proprietary, non-hazardous, non-regulated

4. FIRST AID MEASURES

Inhalation: Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. If reddening develops and/or persists, obtain medical attention.

Eye Contact: Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses is present and easy to do so. If eye irritation persists, obtain medical attention.

Ingestion: Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Never give anything by mouth to an unconscious person. If symptoms persist, obtain medical attention.

Most important symptoms and effects, both acute and delayed: The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed: No data available.

5. FIRE FIGHTING MEASURES

Flammability	No data available
Flash Point	DNA
Flash Point Method	DNA
Burning Rate	No data available
Autoignition Temp	No data available
LEL	DNA
UEL	DNA

Extinguishing Media:

Water Spray
Water Fog
Carbon Dioxide
Alcohol-Resistant Foam
Dry Chemical

Special Hazards Arising From the Substance or Mixture: Aldehydes Carbon Oxides Hydrocarbon particulate Hydrogen Chloride gas Nitrogen Oxides (NOx) Phosphine gas Phosphorous Oxides Sodium Oxides.

Glass Gleam-Solar™ Ready To Use

Safety Data Sheet (SDS)

Titan Laboratories, Inc.

SDS #571 / January 3, 2022

Page 3

Advice for Firefighters: Firefighters should wear full-face, positive-pressure respirators.

Further Information:

If incinerated, may release toxic fumes.

Use water spray to cool unopened containers.

See Section 7 for more information on safe handling.

See Section 8 for more information on personal protection equipment. See Section 13 for disposal information.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Keep from contacting skin or eyes. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental Precautions:

Prevent further release (leakage/spillage) if safe to do so. Do not allow product to enter drains.

Do not allow to drain to environment.

Methods and Materials for Containments and Cleaning Up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Place contaminated material into suitable, closed containers for disposal. Dispose of contaminated material according to Section 13.

After spillage has been collected, area may be flushed with water or wet-brushed. Ensure adequate ventilation.

Reference to Other Sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for information on proper disposal.

7. HANDLING AND STORAGE

Handling Precautions: Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Keep containers closed when not in use. Do not expose containers to open flame, excessive heat, or direct sunlight. Keep away from sources of ignition. Do not smoke while using material. Do not puncture or drop containers. Handle with care and avoid spillage on the floor (slippage). Keep material out of reach of children. Keep material away from incompatible materials. Wash thoroughly after handling.

Storage Requirements: Keep container tightly closed. Store in a well-ventilated place. Do not store at temperatures exceeding 50 °C/122 °F. Do not store in direct sunlight. Store away from strong acids, strong bases, strong oxidizing agents, strong reducing agents, Alcohols, Amines, reactive metals (Zinc & Aluminum) and their alloys (Brass, etc.), Copper and its alloys, Iron, rubber, and materials that are reactive with Hydroxyl compounds.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

Personal Protective Equip:

Eye/face protection:

When using material use safety glasses according to HMIS PP, A. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection: Handle with gloves made from PVC, Neoprene or Nitrile, if desired. Gloves are not needed for normal use. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.

Body Protection: Chemically resistant safety glasses are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

Titan Laboratories, Inc.

SDS #571 / January 3, 2022

Page 4

Respiratory protection: None required.

Control of environmental exposure: Prevent leakage or spillage if safe to do so. Do not let material enter drains.

Components with workplace control parameters:

Contains no substances with occupational exposure limit values.

Glass Gleam-Solar™ Ready To Use

Biological occupational exposure limits:

Contains no substances with biological occupational exposure limits values.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, gold liquid

Physical State: Liquid

Odor Threshold: Not determined Particle Size: Not determined

Spec Grav./Density: 1.001 g/ml (8.35 lbs/gal)

Viscosity: Not determined

Sat. Vap. Conc.: Not determined Boiling Point: 100.0 °C (212 °F)

Flammability: (solid, gas): Not determined Partition Coefficient: Not determined

Vapor Pressure: (mm Hg @ 25 °C): Not determined

pH: @ 1%: 7.1

Evap. Rate: (N-Butyl Acetate = 1): Not determined

Molecular weight: MIXTURE Decomp Temp: Not determined

Odor: Odorless

Molecular Formula: MIXTURE

Solubility: 100%

Softening Point: Not determined

Percent Volatile: DNA
Heat Value: Not determined

Freezing/Melting Pt.: Not determined

Flash Point: DNA

Octanol: Not determined

Vapor Density: (air = 1): Not determined

VOC: DNA

Bulk Density: Not determined **Auto-Ignition Temp:** Not determined

UFL/LFL: Not determined

10. STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Incompatibilities, flames, ignition sources.

Materials to Avoid: Strong acids, strong bases, strong oxidizing agents, strong reducing agents, Alcohols, Amines, reactive metals (Zinc & Aluminum) and their alloys (Brass, etc.), Copper and its alloys, Iron, rubber, and materials that are reactive with Hydroxyl compounds.

Glass Gleam-Solar™ Ready To Use

Titan Laboratories, Inc.

SDS #571 / January 3, 2022

Page 5

Hazardous Decomposition: Aldehydes, Carbon Oxides, Hydrocarbon particulate, Hydrogen Chloride gas, Nitrogen Oxides, (NOx), Phosphine gas, Phosphorous Oxides and Sodium Oxides.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Component(s): N/A CAS No(s): N/A

Acute Toxicity: No data available.

Skin Corrosion/Irritation: Generally this product does not irritate the skin.

Serious Eye Damage/Eye Irritation: Generally this product does not irritate the eyes.

Respiratory or Skin Sensitization: No data available. Germ Cell Mutagenicity: No data available. Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity - Single Exposure: No data available. Specific Target Organ Toxicity - Repeated

Exposure: No data available. Aspiration Hazard: No data available.

Additional Information: No data available.

12 ECOLOGICAL INFORMATION

Component(s): N/A CAS No(s): N/A

Toxicity:

Toxicity to fish: No data available.

Toxicity to daphnia and other aquatic invertebrates:

No data available.

Persistence and Degradability:

Readily biodegradable.

Bioaccumulative potential:

No data available.

Mobility in Soil:

No data available.

Results of PBT and vPvB assessment:

Not required/conducted.

Glass Gleam-Solar™ Ready To Use

Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #571 / January 3, 2022

Page 6

Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Product does not present any hazards to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Non-regulated material, liquid

IMDG

Non-regulated material, liquid

IATA

Non-regulated material, liquid

15. REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

Proprietary, non-hazardous, non-regulated (None 100%) None - Reporting not required

REGULATORY KEY DESCRIPTIONS

None - Not applicable

16 OTHER INFORMATION

Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that Titan Laboratories believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of Titan Laboratories' control, Titan Laboratories makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.